



WATER HEATER RESCUE

Residential Natural Gas Atmospheric Vent

Brand	Model Number	Capacity	BTU	Energy Factor	Height from Floor to Water Conn. (inches)	Diameter
Bradford White	RG230S6N	30	30,000	0.63	46 ½	20
Bradford White	RG240S6N	40	40,000	0.62	49 3/16	22
Bradford White	RG240T6N	40 Tall	40,000	0.62	60 1/8	20
Bradford White	RG250S6N	50	50,000	0.60	58 3/16	22
Bradford White	RG250T6N	50 Tall	50,000	0.62	57 7/8	22
Bradford White	RG275H6N	75	76,000	N/A as per Manufacturer	60 7/16	26
John Wood	JW840S40N-AV	40	40,00	0.62	47 ¾	22
John Wood	JW840T40N-AV	40 Tall	40,000	0.62	58 ¼	20
John Wood	JW850S40N-AV	50	40,000	0.61	49 ½	24
John Wood	JW650T40N-AV	60	40,000	0.62	57 ¼	22
Rheem	PRO+G40S-38N CN62	40	38,000	0.62	53	21 ¼
Rheem	PRO+G50S-40N CN62	50	40,000	0.61	52 ¼	23 ¾
Rheem	PROG60S-50N CN59	60	50,000	0.59 BC Compliant	58	23 ¾
Rheem	PRO+G40S-40N CN67 PD	40 Energy Star	40,000	0.67	50 ½	21 ¾
Rheem	PRO+G40S-50N CN67 PD	50 Energy Star	40,000	0.67	50 ½	23 ¾

*Sizes based on manufacturer sizing. We recommend to measure your tank and the space it is in. Tank diameter does not account for overall depth required for installation.

*Energy Star tanks are eligible for a Natural Gas rebate. Ask us for details.

Premium Quality, Premium Service, Without the Premium Cost.

www.waterheaterrescue.ca



Residential Natural Gas Power Vent

WATER HEATER RESCUE

Brand	Model Number	Capacity	BTU	Energy Factor	Height from Floor to Water Conn. (inches)	Diameter
Bradford White	RG2PV40S6N	40	40,000	0.67	49	22
Bradford White	RG2PV50T6N	50	40,000	0.67	58	22
Bradford White	RG2PV60T6N	60	40,000	0.67	58 ³ / ₄	24
John Wood	JW840S40N-PV-ES2	40	40,000	0.70	49 5/8	22
John Wood	JW850S40N-PV-ES2	50	40,000	0.70	50 ³ / ₄	24
John Wood	JW860S42N-PV-ES2	60	42,000	0.70	57 7/8	24
Rheem	PROG40S-36N CN67 PV	40	36,000	0.67	51 ¹ / ₄	21 ³ / ₄
Rheem	PROG50S-36N CN67 PV	50	36,000	0.67	51 ¹ / ₄	23 ³ / ₄

*Sizes based on manufacturer sizing. We recommend to measure your tank and the space it is in. Tank diameter does not account for overall depth required for installation.

*Power vent tanks with an Energy Factor of 0.67 or higher are eligible for a Natural Gas rebate. Ask us for details.

Premium Quality, Premium Service, Without the Premium Cost.

www.waterheaterrescue.ca



WATER HEATER RESCUE

Residential Electric

Brand	Model Number	Capacity	First Hour Rating	Recovery 90°F Rise (GPH)	Height from Floor to Water Conn. (inches)	Diameter
Bradford White	M-2-40S6DS	40		21	46 7/8	20
Bradford White	M-1-40L6DS	40 Lowboy		21	32 7/8	22
Bradford White	M-2-40T6DS	40 Tall		21	59 ¼	18
Bradford White	M-2-50S6DS	50		21	46 ½	22
Bradford White	M-1-50L6DS	50 Lowboy		21	33 1/8	24
Bradford White	M-2-50T6DS	50 Tall		21	57 ½	20
Bradford White	M-2-65R6DS	65		21	59 ¼	22
Bradford White	M-2-80R6DS	80		21	59 ¼	24
John Wood	SS640SDE3-30	40		14	50	22
John Wood	JW850SDE-30	50	60		48 ¾	22
John Wood	JW880TDE-30	80	81		60 ½	24
Rheem	PROE30301 CN53	30			30	21 ¾
Rheem	PRO+E40 M2 CN61	40			49	22 ¼
Rheem	PRO+E60 T2 CN97	72			59	23
Rheem Marathon Lifetime Warranty	CMR40230 or CMR40245	40	52	20	65 ½	21 ¾
Rheem Marathon Lifetime Warranty	CMR50230 or CMR50230	50	61	20	66 ¾	23 ½

*Sizes based on manufacturer sizing. We recommend to measure your tank and the space it is in. Tank diameter does not account for overall depth required for installation.

Premium Quality, Premium Service, Without the Premium Cost.

www.waterheaterrescue.ca